

FIRECHIEF XTR WATER EXTINGUISHER

Product code	Description
FXW6	6L Spray Water Extinguisher 13A
FXW9	9L Jet Water Extinguisher 21A

- Corrosion resistant finish
- Internal polyethylene lining
- Squeeze grip operation
- Approved to BSEN3
- Supplied complete with bracket
- FXW6 approved to 35kV dielectric test



FXW6

FXW9

Product code	Description
ESW3	3L EcoSpray Water Additive Extinguisher 13A
ESW6	6L EcoSpray Water Additive Extinguisher 27A



- Powerful 'EcoSpray' additive - fluoro free to protect the environment
- Corrosion resistant finish
- Internal polyethylene lining
- Squeeze grip operation
- Approved to BSEN3 including 35kV dielectric test
- Supplied complete with bracket



ESW6

ESW3

FIRECHIEF XTR SPRAY FOAM EXTINGUISHERS

Product code	Description
FXF2	2L Spray Foam Extinguisher 8A 55B
FXF3	3L Spray Foam Extinguisher 13A 89B
FXF6	6L Spray Foam Extinguisher 21A 144B
FXF9	9L Spray Foam Extinguisher 27A 233B

- Spray nozzle
- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Approved to BSEN3 including 35kV dielectric test
- Complete with bracket



FXF2

FXF3

FXF6

FXF9



FIRECHIEF XTR CO2 EXTINGUISHERS

Product code	Description
FXC2	2kg CO2 Extinguisher 34B
FXC5	5kg CO2 Extinguisher 70B

- Aluminium alloy construction
- Squeeze grip operation
- Corrosion resistant finish
- Harmless to machinery
- Approved to BSEN3
- Complete with bracket
- FXC2 supplied with frost free horn
- Filled weight: FXC2: 5.5Kg FXC5: 12.4Kg



FXC2

FXC5

FIRECHIEF XTR LIGHTWEIGHT STEEL ALLOY EXTINGUISHERS

Product code	Description
FXC2S	2kg Steel CO2 Extinguisher 34B
FXC5S	5kg Steel CO2 Extinguisher 70B

- Lightweight steel alloy construction
- Squeeze grip operation
- Corrosion resistant finish
- Harmless to machinery
- Kitemarked to BSEN3
- Complete with bracket
- FXC2S supplied with frost free horn
- Filled weight: FXC2S: 7.1Kg FXC5S: 14.8Kg



FXC2S

FXC5S

FIRECHIEF XTR ABC POWDER EXTINGUISHERS

Product code	Description
FXP1	1kg ABC Powder Extinguisher 8A 34B
FXP2	2kg ABC Powder Extinguisher 13A 89B
FXP3	3kg ABC Powder Extinguisher 21A 113B (Not shown)
FXP4	4kg ABC Powder Extinguisher 27A 144B
FXP6	6kg ABC Powder Extinguisher 43A 233B
FXP9	9kg ABC Powder Extinguisher 55A 233B
FXP12	12kg ABC Powder Extinguisher 55A 233B (Not shown)

- Multi-purpose application
- Squeeze grip operation
- Corrosion resistant finish
- Approved to BSEN3
- All supplied complete with bracket - FXP1,2 & 3 supplied with transport bracket



FXP1

FXP2

FXP6

FXP9

Don't miss our Power Plus Extinguishers on Page 6!

FIRECHIEF POWER PLUS SPRAY FOAM EXTINGUISHER

Product code	Description
PPF6	6L Spray Foam Extinguisher 27A 183B

- Superior performance foam
- Spray nozzle
- Squeeze grip operation
- Corrosion resistant finish
- Internal polyethylene lining
- Approved to BSEN3 including 35kV dielectric test
- Complete with bracket



NEW

5 YEAR GUARANTEE

LPCB

A B

POWER PLUS

PPF6

FIRECHIEF POWER PLUS POWDER EXTINGUISHERS

Product code	Description
PPP1	1kg ABC Powder Extinguisher 8A 55B
PPP6	6kg ABC Powder Extinguisher 55A 233B C

- Superior performance dry powder
- Multi-purpose application
- Squeeze grip operation
- Corrosion resistant finish
- Approved to BSEN3
- Complete with bracket



NEW

5 YEAR GUARANTEE

LPCB

A B C

POWER PLUS

PPP1 PPP6

Cabinets? Stands? See pages 21 - 28!

FIRECHIEF XTR WET CHEMICAL EXTINGUISHERS

Product code	Description
FXWC2	2L Wet Chemical Extinguisher Fixed Nozzle 8A 34B 25F
FXWC3	3L Wet Chemical Extinguisher Lance 13A 70B 40F (Not shown)
FXWC6	6L Wet Chemical Extinguisher Lance 21A 113B 75F

- Approved to BSEN3
- High performance rating including A, B and F fires
- Supplied complete with bracket
- Corrosion resistant finish
- Internal polyethylene lining
- Squeeze grip operation
- Approved to 35kV dielectric test



NEW

EXTRA PERFORMANCE A,B & F RATING

5 YEAR GUARANTEE

LPCB

A B F

FXWC2 FXWC6

POLISHED AND STAINLESS STEEL EXTINGUISHERS

Product code	Description
PXC2	2kg CO ₂ Polished Extinguisher
PXC5	5kg CO ₂ Polished Extinguisher
PXW6	6L Water Polished Extinguisher
PXW9	9L Water Polished Extinguisher
PXF6	6L AFFF Polished Extinguisher
PXF9	9L AFFF Polished Extinguisher
PXP6	6kg ABC Powder Polished Extinguisher
PXP9	9kg ABC Powder Polished Extinguisher

- Stored pressure extinguishers with highly polished finish for maximum impact
- Ideal for architecturally sensitive environments and design-led interiors
- Ideal for clean room applications where hygiene is paramount
- Squeeze grip operation
- Protective plastic base
- Built to comply with requirements of BSEN3 excluding clause 16.1 (red coloured body)
- Complete with bracket
- Frost-free horn on 2kg CO₂ extinguisher



ELITE

5 YEAR GUARANTEE

B

PXC2 PXC5 PXP6 PXP9 PXF6 PXF9 PXW6 PXW9

FIREMAX ABC POWDER EXTINGUISHERS

Product code	Description
FMP600	600g ABC Powder Extinguishers 5A 21B C
FMP800	800g ABC Powder Extinguishers 5A 34B C

- Approved to BSEN3 excluding clause 6.1 (size requirement)
- Multi-purpose application
- Squeeze grip operation
- Supplied complete with bracket



FMP600

FMP800

FIREMAX ABC POWDER EXTINGUISHER

Product code	Description
FMP1	1kg ABC Powder Extinguisher 8A 34B C

- Multi-purpose application
- Squeeze grip operation
- Approved to BSEN3
- Supplied complete with bracket



FIREMAX ABC POWDER LIGHTWEIGHT EXTINGUISHER

Product code	Description
FMPA1	1kg Aluminium ABC Powder Extinguisher 8A 34B C

- Lightweight aluminium construction
- Brass valve
- Multi-purpose application
- Squeeze grip operation
- Approved to BSEN3
- Supplied complete with bracket



FIREMAX 0.6KG BC POWDER EXTINGUISHER

Product code	Description
FCDP	600g Aerosol BC Powder Extinguisher 21B

- Aerosol factory sealed extinguisher
- Approved to BS6165:2002
- Squeeze grip operation
- Supplied with bracket
- Aluminium lightweight body



FIREMAX SPRAY FOAM EXTINGUISHER

Product code	Description
FMF1	1L Spray Foam Extinguisher 5A 21B

- Approved to BSEN3
- Squeeze grip operation
- Internal polyethylene lining
- Spray nozzle
- Supplied complete with bracket



AUTOMATIC POWDER EXTINGUISHERS

Product code	Description
APS1	1Kg ABC Powder (Not shown)
APS2	2Kg ABC Powder
APS6	6Kg ABC Powder (Not shown)
APS10	10Kg ABC Powder
APS12	12Kg ABC Powder (Not shown)

- Stored Pressure
- Fixing brackets included with extinguisher
- Supplied with 68°C red bulb
- Fitted with pressure gauge for easy routine checking
- Designed for use in enclosed areas i.e. engine/plant rooms, switch rooms etc
- Slimline versions available upon request (1kg & 2kg only)



APS2



APS10

MOBILE CO₂ EXTINGUISHERS

Product code	Description
CD10	10Kg CO ₂ Extinguisher
CD20	20Kg CO ₂ Extinguisher
CD30	30Kg CO ₂ Extinguisher
CD50	50Kg CO ₂ Extinguisher

- Simple, one-man operation
- All extinguishers fitted with safety valve as standard
- EN1866 & MED approved
- Refillable stored pressure units
- All supplied filled and pressurised
- Cartridge operated versions available on request
- Re-charging adaptors available.



CD20



MOBILE POWDER EXTINGUISHERS

Product code	Description
PS25	25Kg ABC Powder Extinguisher
PS50	50Kg ABC Powder Extinguisher
PS100	100Kg ABC Powder Extinguisher

- Simple, one-man operation
- All extinguishers fitted with safety valve as standard
- EN1866 & MED approved
- Refillable stored pressure units
- All supplied filled and pressurised
- Cartridge operated versions available on request
- Re-charging adaptors available



PS100



MOBILE FOAM EXTINGUISHERS

Product code	Description
FS50	50Ltr AFFF Foam Extinguisher
FS100	100Ltr AFFF Foam Extinguisher

- Simple, one-man operation
- All extinguishers fitted with safety valve as standard
- EN1866 & MED approved
- Refillable stored pressure units
- All supplied filled and pressurised
- Cartridge operated versions available on request
- Re-charging adaptors available
- Foam refills available
- Available with antifreeze and/or Alcohol Resistant foam upon request



FS50



MOBILE FOAM CARTRIDGE EXTINGUISHER

Product code	Description
FS150C	150Ltr AFFF Foam, Cartridge operated

- Simple, one-man operation
- All extinguishers fitted with safety valve as standard
- EN1866 & MED approved
- All supplied filled and pressurised
- Re-charging adaptors available



FS150C



SPECIALIST POWDER MOBILE EXTINGUISHERS

Product code	Description
PS (PURPLE K)	Purple K Dry Chemical Powder
PS (MONNEX)	Monnex Dry Chemical Powder

- Simple, one-man operation
- All extinguishers fitted with safety valve as standard
- EN1866 & MED approved
- Refillable stored pressure units
- All supplied filled and pressurised
- Cartridge operated versions available on request
- Re-charging adaptors available
- Suitable for B, C & E class fires
- Monnex is particularly effective against fires involving L.N.G, alcohols, ketones and esters
- Monnex breaks into minute particles, giving a greater coverage
- Manufacturing processes approved to BSEN ISO 9001 (2000) (Monnex)
- Purple K complies with EN 615 standard

 Weather proof covers available on page 30

AUTOMATIC FIRE EXTINGUISHER SYSTEM


Product code	Description
SFXFM1	1kg FM200 Auto Extinguisher
SFXP1	1kg ABC Powder Auto Extinguisher
SFXFM2	2kg FM200 Auto Extinguisher
SFXP2	2kg ABC Powder Auto Extinguisher

STRIKE FX™
AUTOMATIC FIRE EXTINGUISHER SYSTEM



Also available in 4kg and 6kg
All options available with Pressure Switch

- Self seeking automatic fire extinguishing system
- Extinguishes a fire at the source via specialized polymer detection tubing
- Requires no electrical power to operate
- Can be fitted with pressure switch to automatically shut down machines, systems or sound alarms
- Different extinguishing mediums available to suit application
- Supplied with 4m of tubing per extinguisher
- Tubing available in longer lengths if required



APPLICATIONS:

- Electrical Cabinets
- Controls and CNC machines
- Vehicles / Boats
- Industrial Equipment
- Any micro-environment



Perfect for use in vehicles; on boats; on industrial equipment;
in electrical cabinets; on controls and CNC machines and any micro-environment!

FIRE HOSE

Product code	Diameter	Length
FH19/30	19mm	30m
FH19/45	19mm	45m
FH25/30	25mm	30m

- Approved to EN694
- Can be used within -20°C to 60°C temperature range
- Ideal for applications where long intervals can occur between use



HOSE REEL ACCESSORIES

Product code	Description
FHG1	Beaded Hoseguide
NJS19	19mm Jet Spray Nozzle
NJS25	25mm Jet Spray Nozzle
NPN19	19mm Pyrene Nylon Nozzle
NPN25	25mm Pyrene Nylon Nozzle
FWC19	19mm Flexible Water Inlet Pipe
FWC25	25mm Flexible Water Inlet Pipe
BGV19	19mm Gate Valve
BGV25	25mm Gate Valve
JUB1	22-30mm Jubilee Hose Clip
JUB2	30-40mm Jubilee Hose Clip



REELGARD - HOSE REEL NOZZLE PROTECTOR

Product code	HNG1
--------------	------

- Protects hose reel nozzles from vandalism and dirt ingress
- Reduces risk of Legionella outbreaks
- Tamper evident seal for added protection



FIRECHIEF HOSE REEL

- Kitemarked to BSEN671-1
- Quality construction using powder coated steel and brass
- Supplied 'hose-on' and ready to install
- 19mm x 30m hose supplied as standard, other sizes available on request
- Supplied with jet/spray nozzle, hose guide (fixed models) and gate valve (manually operated models)



HOSE REELS

Product code	Description
RFM1	Fixed Hose Reel - Manual
RFA1	Fixed Hose Reels - Automatic
RRM1	Recessed Hose Reels - Manual
RRA1	Recessed Hose Reels - Automatic
RSM1	Swinging Hose Reels - Manual
RSA1	Swinging Hose Reels - Automatic



Hose reel cabinets?
See page 21

LAYFLAT HOSE

Product code	Internal Diameter	Hose Length
LH65/23	65mm	23m
LH45/18	45mm	18.3m

- Constructed from close woven twill polyester filament yarns with synthetic rubber lining
- Coated with a polyurethane outer coating for extra abrasion resistance
- No drying - quick to stow
- Meets requirements of BS 6391:1983 Type 1 and 2
- Complete with light alloy couplings



LH65/23

HYDRANT STANDPIPES

Product code	Description
SPB1	Single Standpipe
SPB1/CV	Single Standpipe with check valve
SPB2	Double Standpipe

- Standpipe in aluminium alloy with standard 2½" female BSRT inlet

SPB1



Needing advice?
Give us a call!

STANDPIPE

Product code:
SPC1


- Single standpipe in galvanised tube with single brass bibtap, 1" bore with double check valve



HYDRANT KEY AND BAR AND COUPLINGS

Product code	Description
HKB1	Aluminium Alloy Hydrant Key and Bar
HKB2	Steel Hydrant Key and Bar

- Made from aluminium alloy (KEY HKB1) or steel (KEY HKB2)
- For use when turning the water supply on and off via the hydrant



HKB1

HKB2

Product code	Description
AAC1	2½" Alloy Coupling
ACW1	Coupling Washer

- 2½" instantaneous couplings in aluminium alloy with double-ribbed tailform, manufactured to BS336
- ACW1 replacement washer for 2½" alloy couplings



AAC1

ACW1

2½" ALLOY NOZZLE

Product code: CSN1

- 2½" Cooper spray aluminium nozzle with off position, 5/8 jet and spray



LEVER OPERATED NOZZLE

Product code: AWG1

- Lever operated 2½" nozzle
- Manufactured in light alloy



BLANK PLUGS & STANDPIPE BASE WASHER

Product code	Description
SBP1	Aluminium Alloy 2½" Blank Plugs
SBP2	Plastic Moulded 2½" Blank Plugs
WSB1	2½" Standpipe Base Washer

- Used to seal off water supplies from dirt and contamination
- SBP1 - manufactured from aluminium alloy and is pressure resistant
- SBP2 - plastic-moulded for use as dust cover only
- WSB1 - rubber washer to fit 2½" inlet standpipes



SBP2

SBP1

ANTI-TAMPER LEATHER STRAPS

Product code	Description
LHS1	Anti-tamper Leather Straps L350 x W13
LHS2	Anti-tamper Leather Straps L560 x W13
PLB20	20mm Padlock

- For use with globe valves
- Can be fastened with 20mm padlock



Are you due for a fire risk
assessment? Ask for details.

GATE VALVES

Product code	Description
DGV1	Gate Valve 2.5" Table D/E Flanged
DGV2	Gate Valve 2.5" PN16 Flanged

- With 2½" instantaneous female outlet
- Manufactured to comply with BS 5041:Part 2



HYDRANT GLOBE VALVES

Product code	Description
HGV1	Hydrant Globe Valve 2.5" Table D/E Flanged
HGV2	Hydrant Globe Valve 2.5" PN16

- With 2½" instantaneous female outlet
- Manufactured to comply with BS 5041:Part 1



CABINET 2 WAY INLET

Product code	Description
CIB1	Cabinet 2 Way Inlet - Horizontal
CIB2	Cabinet 2 Way Inlet - Vertical
COB1	Outlet Cabinet - Vertical

- Manufactured to comply with BS 5041:Part 4
- Epoxy steel construction with wire mesh glass



PUMPING INLET BREECHING

Product code	Description
PIB1	Pumping Inlet Breeching 2 Way 100mm Table D/E
PIB2	Pumping Inlet Breeching 2 Way 100mm PN16

- Manufactured to comply with BS 5041:Part 3
- 2 x 2½" male instantaneous gunmetal inlets



AIR RELEASE VALVE

Product code:
ARV1

- Manufactured in copper alloy to BS 2874
- 1" BSP male



'THE POD' FIRE BLANKET

Product code:
PC

- Durable single-piece moulded design available in red or white
- 2 sizes of container to accommodate 1m x 1m, 1.2m x 1.2m, 1.2m x 1.8m and 1.8m x 1.8m blankets
- 2 blanket cloths available - premium (K100) and standard (K75)
- Large labelling area for maximum impact - personalisation available
- Kitemark certified to BSEN 1869:1997



FIRECHIEF®
the firefighter's friend

'THE CLAM' FIRE BLANKET

Product code:
HS

- Available with 1m x 1m and 1.2m x 1.2m blankets - premium (K100) and standard (K75) cloth types
- Unique front loading design for minimum removal time
- Tamper evident feature for maximum security
- Requires 40% less wall space than conventional containers
- Personalisation available
- Container overall dimensions: H245mm x W175mm x D45mm, colour: red or white
- Kitemark certified to BSEN 1869:1997



'MINIPOD' FIRE BLANKET

Product code:
MP

- Attractive slim-line moulded design - great for domestic applications
- 1m x 1m and 1.2m x 1.2m fire blankets available in 2 cloth types - premium (K100) and standard (K75)
- Label personalisation available
- Kitemark certified to BSEN 1869:1997
- Container available in red or white



How about some signs?
Please see page 56

ECONOMY FIRE BLANKET

Product code:
EP

- Fully flexible polythene pack
- Available with K75 standard blanket only - 1m x 1m and 1.2m x 1.2m sizes
- Tamper-evident design
- Kitemark certified to BSEN 1869:1997



SAVEX FIRE BLANKET

Product code:
SVB1

- Screen-printed soft PVC pack
- Available with 1m x 1m K30 standard blanket
- Kitemark certified to BSEN 1869:1997



Not sure? Give us a call now!

FLAT PACK FIRE BLANKET

Product code:
FP

- Manufactured from industrial grade, wipeable PVC
- 2 sizes of container to accommodate 1m x 1m, 1.2m x 1.2m, 1.2m x 1.8m and 1.8m x 1.8m blankets
- Kitemark certified to BSEN 1869:1997



BASIC 'POD' FIRE BLANKET

Product code:
BPR

- Durable single-piece moulded design
- 2 container sizes to accommodate 1m x 1m, 1.2m x 1.2m and 1.2m x 1.8m blankets
- Only available in K30 cloth
- Kitemark certified to BSEN 1869:1997



NEW

BRAZING MAT

Product code:
SAB2

- Protective mat for use in plumbing and brazing applications
- Manufactured using high specification woven silica outer combined with a heat reflecting foil backed inner
- Suitable for use with new high temperature brazing gases
- Overall mat size: 300mm x 300mm



DUST SHEET - FLAME RETARDANT

Product code:
FRC1

- Developed to meet Health & Safety guidelines when working in public areas
- Made from fully washable, Proban treated, heavy weight, close-woven cotton
- Overall sheet size: 3.65m x 2.75m



FLAME RETARDANT POLYTHENE

Product code:
FRP1

- LPCB tested and approved
- Heavy duty 250 micron polythene for use as protective sheeting in all construction applications
- Supplied in 25m rolls. Roll width: 4m



PRECOATED GLASS FIBRE DRAPE - HEAVY DUTY

Product code:
HS1306

- Protects from molten metal splashes
- Ideal for use during cutting and welding operations
- Performance rated to 1000°C
- Heavy duty, robust material with superior tensile strength



WOVEN SILICA FABRIC - SUPER HEAVY DUTY

Product code:
HS1500

- Excellent thermal insulation properties
- Will protect from molten metal splashes
- For continuous use at 1000°C



ROLLED CLOTH


- HS1306, HSN & HSC materials available on a roll
- Call us to discuss prices and available roll dimensions



TRANSLUCENT WELDING SCREEN - LIGHT DUTY

Product code:
TPC

- Protects from welding glare, grinding, sparks etc
- Conforms to BSEN 1598: 1998
- Supplied complete with brass-reinforced eyelets
- UV Stabilised
- Nylon reinforced for excellent tear resistance
- Available in both amber and green - to be specified when ordering



NEOPRENE COATED WELDING DRAPE - MEDIUM DUTY

Product code:
HSN1

- Protects from sparks and medium splatter
- Excellent abrasion resistance and will not deteriorate as a result of oxidation, weathering or flexing
- For use in areas where oils, greases, acidic liquids and vapours are present
- Complete with brass eyelets to secure in position



WELDING SCREEN STAND

Product code:
WSS1



- Manufactured from high quality, durable steel tubing
- Complete with industrial grade castors for ease of movement
- Supplied with flame retardant, reinforced translucent red PVC screen

Overall Dimensions:
H1700mm x
W1870mm x
D620mm
Screen Size:
H1400mm x
W1720mm




Need training?
Talk to the experts!

HIGH PERFORMANCE WELDING DRAPE - MEDIUM DUTY

Product code:
HSC1

- High performance coated glass fibre material protects from medium splatter and sparks
- Material offers very low level of gas permeability, excellent abrasion resistance and will not deteriorate as a result of oxidation, weathering or flexing
- Superior draping characteristics
- For use in areas where oils, greases, acidic liquids and vapours are present
- Complete with brass eyelets to secure in position



Fire Fighting

FLAMEZORB & FIRE SAND

Product code	Description
FZB1	Flamezorb
BFS1	Fire Sand

Flamezorb

- Excellent absorbent properties - far superior to sand
- Lightweight to use - only 2kg per bag
- Bag contents to fill 10L fire bucket
- Effortless clear up and disposal - unlike forecourt sand
- Fully conforms to BS476 Part 7 Class 2

Fire Sand

- Dry yellow sand sourced for fire fighting applications
- Supplied in 12.5kg bags for easy handling



FZB1

METAL FIRE BUCKET

Product code	Description
MFB1	Metal Fire Bucket
FBB	Fire Bucket Bracket




Bucket lid supplied separately

FIRE BEATER

Product code:

FBT1

- Solid hardwood handle
- Industrial grade rubber beater for excellent knockdown
- Handle Length: 1200mm
- Beater Dimensions: 310 x 450mm



PLASTIC FIRE BUCKET

Product code:

PFB1

- Suitable for many applications, including garage forecourt protection, clearing up spillages etc
- Choice of bucket style to meet every requirement
- 10 litre bucket capacity
- Fire bucket bracket available

Bucket lid supplied separately



Need more details?
Just ask for a specification sheet

FLAME RETARDANT SPRAY

Product code	Description
FRS1	750ml Spray Container
FRS2	5 Litre Refill Bottles

- New, water-based fire proofing spray
- Will treat any water-absorbent material including natural and synthetic materials and fabrics
- Passed BS5852:1990 and BS5867: Part 2: 1980
- Easy to apply
- Available in 750ml spray containers and 5 litre refill bottles
- 1 litre of FRS will treat 10-15m².



Uncoated fabric under fire conditions



Coated fabric under fire conditions